

MODEL: OG8009/P



Perfect for large pubs and restaurants, school canteens, care homes and hospitals, the Opus 800 Gas 2 x Boiling Top comes with individual heavyduty single cast iron supports, which are built to withstand the rigours of the busiest kitchen. With powerful 7.5kW dual concentric burners designed for focused heat distribution from a fast boil to a low simmer, you'll be cooking fabulous dishes in no time at all. The Boiling Top also features a low flue to allow use of the complete hob top.

PRODUCT OPTIONS AND ACCESSORIES

- OA8934 Lincat Opus 800 Free-standing Floor Stand with Legs
- OA8970 Lincat Opus 800 Free-standing Pedestal with Doors and Legs

PRODUCT FEATURES

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- Gas Boiling Tops









MODEL: OG8009/P

WEIGHTS & DIMENSIONS	
Width	300 mm
Depth	800 mm
Height	412 mm
Weight	31 kg

SHIPPING DETAILS	
Ship Width	85 cm
Ship Depth	45 cm
Ship Height	64 cm
Ship Weight	34.1 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS				
Primary Energy Type	Gas	Gas Inlet Size	0.5 in	
Electrical Kilowatts	7.5 kW	Gas Inlet Pressure Required	37 mBar	
Dedicated Circuit Required	No	Gas Consumption at Max Use Per Hour	0.97 m ³	
Gas Type	Propane	Total Heat Input at Max Use	13.4 kW, 51182 BTU per	
Gas Total BTUs	45772 BTU	Total fiedt illput at Max OSE	hour	

ADDITIONAL SPECIFICATIONS			
Construction Materials	Stainless Steel	Number of Hot Top Burners	2
Control Type	Mechanical, Rotary	Number of Shelves	Not Applicable
	Control Knob	Open or Sealed Burners	Sealed
Cooking Plate Finish Material Type	Cast Iron Plate	Ventless Cooking Technology	No
Exterior Trim Finish Color	Stainless Steel	Cooking Equipment	Sealed Burner
High Altitude Kit Available	No	BTUs Per Burner	7.5 KW
Number of Heating Zones	2		

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		2	Center	300 mm	300 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025





LINCAT OPUS PROPANE GAS COUNTER-TOP BOILING TOP - W 300 MM - 13.6 KW

MODEL: OG8009/P

SELECT BASE EQUIPMENT NUMBER OF CUBIC CAPACITY EACH WIDTH DEPTH HEIGHT

Not Applicable For This Item

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

March 25, 2025





Document Auto-Generated




MODEL: OG8009/P

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025