# LINCAT OPUS PROPANE GAS FREE-STANDING SINGLE TANK FRYER WITH PUMPED FILTRATION - 2 BASKETS - W 600 MM - 30.0 KW

# MODEL: OG8107/OP/P

AIA FILE NUMBER:

ITEM NUMBER:



Opus 800

UKFry delicious food accurately with this Opus 800 Single-Tank Free Standing Gas Fryer which comes with a pumped oil system which allows the oil to be filtered and ready to use again in less than five minutes. The two-stage filtration system not only extends oil life by up to 75%, but also saves you money. With an accurate thermostatic control for consistent results and safe operation, the fryer is ideal for a variety of busy commercial kitchens, whether it's a large pub or a restaurant. Featuring convenient piezo ignition, the fryer has externally fired heating which allows for easy access for cleaning the tanks.

## PRODUCT OPTIONS AND ACCESSORIES

- LK02 OPUS 350 LEG KIT
- OA8955 SPLASHGUARD FRYERS - OPUS 800
- BA159 WIRE BASKET
- CH01 CATERFLEX HOSE 1/2" 1 METRE
- CH02 CATERFLEX HOSE 1/2" 1.5 METRE

## PRODUCT FEATURES

- Accurate thermostatic control up to 190Â°C for consistent results and safe operation
- Convenient piezo ignition
- Pumped oil return enables the oil to be filtered and the fryer ready for use again in less than five minutes safe and convenient
- Externally fired heating gives easy access for cleaning tanks
- Oil can be filtered during or after service even whilst hot

# LINCAT OPUS PROPANE GAS FREE-STANDING SINGLE TANK FRYER WITH PUMPED FILTRATION - 2 BASKETS - W 600 MM - 30.0

# MODEL: OG8107/OP/P

## WEIGHTS & DIMENSIONS

| | |
|---|---|
| Product Width | 600 mm |
| Product Depth | 800 mm |
| Product Height | 1,070 mm |
| Product Dimensions (WxDxH) (mm) | 600 Millimeter X 800 Millimeter X 1070 Millimeter |
| Product Weight | 122 kg |
| Product Clearance Required: Front | 600 mm |
| Product Clearance Required: Back | 100 mm |
| Product Clearance Required: Left Side | 100 mm |

## SHIPPING DETAILS

| | |
|---|---|
| Ship Width | 70 cm |
| Ship Depth | 800 cm |
| Ship Height | 122 cm |
| Ship Weight | 134.2 kg |
| Ship Method | Ltl Common Carrier |
| Shipping Package Type | Pieces |

## PRODUCT CERTIFICATION ICONS

IP24 UK CA Made in UK

## ENERGY SPECIFICATIONS

| | |
|---|---|
| Primary Energy Type | Gas |
| Electrical Volts | 230V |
| Electrical Total Amperage | 0.5 |
| Electrical Total Wattage | 100 |
| Electrical Kilowatts | 30 |
| Electrical Phase | 1PH |
| Number of Electrical Conductor Wires | 1 |
| | Single |

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

# LINCAT OPUS PROPANE GAS FREE-STANDING SINGLE TANK FRYER WITH PUMPED FILTRATION - 2 BASKETS - W 600 MM - 30.0

# MODEL: OG8107/OP/P

## ADDITIONAL TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Basket Lift Type | Not Applicable |
| Food Production Rate | 39kg chips - 12mm [frozen], 53kg chips - 12mm [chilled] per hour |
| Number of Burners | 2 |
| Temperature Maximum | 190 °C |
| Total Oil Capacity (volume) | 25 l |
| Vat 1 Oil Capacity (volume) | 25 l |

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

# LINCAT OPUS PROPANE GAS FREE-STANDING SINGLE TANK FRYER WITH PUMPED FILTRATION - 2 BASKETS - W 600 MM - 30.0

# MODEL: OG8107/OP/P

## TECHNICAL DRAWING




Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated