



Opus **800**

PRODUCT OPTIONS AND ACCESSORIES

- OF2 Oil filter kit - size 2
- LK02 OPUS 350 LEG KIT
- OA8955 SPLASHGUARD FRYERS - OPUS 800
- BA159 WIRE BASKET

PRODUCT FEATURES

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Convenient piezo ignition
- Externally fired heating gives easy access for cleaning tanks

Fry delicious food accurately with this Opus 800 Single-Tank Free Standing Single-Tank Gas Fryer which comes with an accurate thermostatic control for consistent results and safe operation. The fryer is ideal for a variety of busy commercial kitchens, whether it's a large pub or a restaurant. Featuring convenient piezo ignition, the fryer has externally fired heating which allows for easy access for cleaning the tanks.

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT OPUS PROPANE GAS FREE-STANDING SINGLE TANK FRYER - 2 BASKETS - W 600 MM - 30.0 KW

MODEL: OG8107/P

WEIGHTS & DIMENSIONS

Width	600 mm
Depth	800 mil
Height	1020 mm
Weight	113.5 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	800 cm
Ship Height	122 cm
Ship Weight	124.85 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Gas	Gas Type	Propane
Electrical Kilowatts	30 kW	Gas Total BTUs	102360 BTU
Electrical Plug Type	Hardwired	Gas Inlet Size	0.5 in
Number of Electrical Plugs	Not Applicable	Gas Inlet Pressure Required	37 mBar
Electrical Connection Type	Direct Hardwired	Gas Consumption at Max Use Per Hour	2.14 m ³
Number of Electrical Conductor Wires	1	Total Heat Input at Max Use	30 kW, 102364 BTU per hour
Dedicated Circuit Required	Yes		

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Burners	2
Basket Lift Type	Not Applicable	Number of Vats (batteries)	1
Construction Materials	Stainless Steel	Total Oil Capacity (volume)	25 l
Control Type	Mechanical	Oil Reclamation	No
Food Production Rate	22kg chips - 12mm [frozen], 32kg chips - 12mm [chilled] per hour	Oil Temperature Control	Mechanical
Fryer Type	Open Pot	Pumped Oil Filtration	No
Integrated Filtration	No	Vat 1 Oil Capacity (volume)	25 l
Number of Baskets	2	Ventless Cooking Technology	No
		Split Pot	No
		Temperature Maximum	190 °C

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 25, 2025

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

