



Opus **800**

PRODUCT OPTIONS AND ACCESSORIES

- OF2 Oil filter kit - size 2
- LK02 OPUS 350 LEG KIT
- OA8955 SPLASHGUARD FRYERS - OPUS 800

PRODUCT FEATURES

- Two independent fryer tanks for greater versatility
- Convenient piezo ignition
- Externally fired heating gives easy access for cleaning tanks

Fry delicious food accurately with this Opus 800 Free Standing Twin-Tank Gas Fryer which comes with two independent fryer tanks for greater versatility. Ideal for a variety of busy commercial kitchens, whether it's a large pub or a restaurant, the fryer features convenient piezo ignition and has externally fired heating which allows for easy access for cleaning the tanks.

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT OPUS NATURAL GAS FREE-STANDING TWIN TANK FRYER - 2 BASKETS - W 600 MM - 32.0 KW

MODEL: OG8111/N

WEIGHTS & DIMENSIONS

Width	600 mm
Depth	800 mil
Height	1020 mm
Weight	131.7 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	800 cm
Ship Height	122 cm
Ship Weight	144.87 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Gas	Gas Inlet Size	0.5 in
Electrical Kilowatts	32 kW	Gas Inlet Pressure Required	20 mBar
Number of Electrical Conductor Wires	1	Gas Consumption at Max Use Per Hour	3.05 m ³
Dedicated Circuit Required	Yes	Total Heat Input at Max Use	32 kW, 109189 BTU per hour
Gas Type	Natural Gas		
Gas Total BTUs	109189 BTU		

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Burners	4
Basket Lift Type	Not Applicable	Number of Vats (batteries)	2
Construction Materials	Stainless Steel	Total Oil Capacity (volume)	28 l
Control Type	Mechanical	Oil Reclamation	No
	44kg chips - 12mm	Oil Temperature Control	Mechanical
Food Production Rate	[frozen], 64kg chips - 12mm [chilled] per hour	Pumped Oil Filtration	No
Fryer Type	Open Pot	Vat 1 Oil Capacity (volume)	14 l
Integrated Filtration	No	Vat 2 Oil Capacity (volume)	14 l
Number of Baskets	2	Ventless Cooking Technology	No
		Split Pot	Yes
		Temperature Maximum	190 °C

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
March 25, 2025

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.

TECHNICAL DRAWING

