LINCAT OPUS PROPANE GAS COUNTER-TOP CHARGRILL - W 600 MM - 12.6 KW

MODEL: OG8401/P

AIA FILE NUMBER:

ITEM NUMBER:



UKEmbrace the unique power and versatility of the Opus 800 Three-Zone Gas Chargrill, which provides three heat zones which are capable of maintaining different temperatures on the same surface, allowing you to cook chicken fillets only inches away from steaks. Highly powerful infrared burners respond quicker and heat faster than standard burners, allowing you to increase your output and achieve energy savings at the same time. Perfect for any busy commercial kitchen, the chargrill comes with heavy-duty cast iron branding grids with a reversible design for uninterrupted cooking and self cleaning at maximum power. There's also flame failure protection for added safety.

PRODUCT OPTIONS AND ACCESSORIES

- CH01 CATERFLEX HOSE 1/2" 1 METRE
- CH02 CATERFLEX HOSE 1/2" 1.5 METRE
- OA8950/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm
- OA8950 Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm
- RC03M RADIANT COVER - OPUS 800

PRODUCT FEATURES

- Three heat zones which are capable of maintaining different temperatures on the same surface, allowing you to cook chicken fillets only inches away from steaks. Individual zones can be turned off during quiet periods.
- Highly powerful infra red burners respond quicker and heat faster than standard burners allowing you to increase your output and achieve energy savings
- Heavy duty cast iron branding grids with reversible design, for uninterrupted cooking and self cleaning at maximum power
- Heavy duty radiant caps protect burners
- Flame failure protection

LINCAT OPUS PROPANE GAS COUNTER-TOP CHARGRILL - W 600 MM - 12.6 KW

MODEL: OG8401/P

WEIGHTS & DIMENSIONS

Product Width	600 mm
Product Depth	806 mm
Product Height	653 mm
Product Dimensions (WxDxH) (mm)	600 Millimeter X 806 Millimeter X 653 Millimeter
Product Weight	80 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Front	600 mm
Product Clearance Required: Back	100 mm
Product Clearance Required: Left Side	100 mm

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	806 cm
Ship Height	79 cm
Ship Weight	88.55 kg
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

ENERGY SPECIFICATIONS

Primary Energy Type	Gas
Electrical Total Wattage	12,600
Electrical Kilowatts	12.6

ADDITIONAL TECHNICAL SPECIFICATIONS

Base Type	Not Applicable
Cooking Area Plate Depth	620
Cooking Area Plate Width	500
Food Production Rate	78 x 225g [8oz] steaks [chilled] per hour

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

LINCAT OPUS PROPANE GAS COUNTER-TOP CHARGRILL - W 600 MM - 12.6 KW

MODEL: OG8401/P

TECHNICAL DRAWING



Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated