# LINCAT PANTHER 670 SERIES FREE-STANDING HOT CUPBOARD - PLAIN TOP - W 1205 MM - 1.5 KW

# MODEL: P6P3

AIA FILE NUMBER:

ITEM NUMBER:



PANTHER

UKA great solution for holding and transporting food at the perfect temperature, the Panther 670 Series Hot Cupboard is designed to fit through narrow doorways, ideal for pubs and smaller restaurants as well as nursing and care homes where meals are to be transported from the kitchen to the residents. Perfect for plating and as a pass to front of house staff, the unit provides extra workspace or can be used as a mobile workstation. The Hot Cupboard is fan assisted, providing even heat distribution, fast heat up and recovery times, and lower energy usage. Fully 1/1 GN compatible, this unit accomodates 3 x 1/1 GN containers up to 150mm deep. Accurate digital electronic control of the hot cupboard temperature, adjustable between 20 and 99 °C,

## PRODUCT OPTIONS AND ACCESSORIES

- PLK/S PANTHER LEG KIT FOR CONVERSION IN THE FIELD
- PPB6 PPB6 - ADDITIONAL PUSHBAR

## PRODUCT FEATURES

- 670mm depth allows access through narrow door openings also ideal to fit through narrow corridors
- Ideal for small restaurants, cafes and pubs, as well as nursing and care homes, where the easy transportation of plated meals to diners and residents is a necessity.
- Fan assisted hot cupboard provides even heat distribution, fast heat up and recovery times, and lower energy usage. Four shelf positions allow adjustment to meet individual needs.
- Fully 1/1 GN compatible hot cupboard for operational efficiency. Units available to take 3 x 1/1 GN containers up to 150mm deep.
- Accurate digital electronic control of the hot cupboard temperature, adjustable between 20 and 99 Â°C, ensures compliance with food hygiene regulations
- Double skinned construction provides efficient heat retention and a cool to touch exterior â€" safe and energy efficient. Removable doors and shelves allow access to the fully stainless steel interior for easy cleaning
- Supplied with two heavy duty multi section chrome plated rod shelves capable of taking the heaviest loads

# LINCAT PANTHER 670 SERIES FREE-STANDING HOT CUPBOARD - PLAIN TOP - W 1205 MM - 1.5 KW

# MODEL: P6P3

## WEIGHTS & DIMENSIONS

| | |
|---|---|
| Product Width | 1,205 mm |
| Product Depth | 670 mm |
| Product Height | 900 mm |
| Product Dimensions (WxDxH) (mm) | 1205 Millimeter X 670 Millimeter X 900 Millimeter |

## SHIPPING DETAILS

| | |
|---|---|
| Ship Width | 120 cm |
| Ship Depth | 80 cm |
| Ship Height | 103 cm |
| Ship Weight | 96.25 kg |
| Ship Method | Ltl Common Carrier |
| Shipping Package Type | Pieces |

## PRODUCT CERTIFICATION ICONS

IP24 Made in UK UKCA

## ENERGY SPECIFICATIONS

| | |
|---|---|
| Primary Energy Type | Electric |
| Electrical Volts | 230V |

## ADDITIONAL TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Plate Capacity | 316 |
| Plate Diameter Maximum | 12.75 in |
| Plate Diameter Minimum | 11.25 in |
| Shelf Depth | 512 mm |
| Shelf Width | 980 mm |
| Temperature Minimum | 20 °C |
| Temperature Maximum | 99 °C |

bidding specifications

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated


# LINCAT PANTHER 670 SERIES FREE-STANDING HOT CUPBOARD - PLAIN TOP - W 1205 MM - 1.5 KW

# MODEL: P6P3

## TECHNICAL DRAWING






Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated