

# **MODEL: PHGR01/N**



The high quality Phoenix 6 Burner Gas Oven range offers power, durability, and excellent value for money. The oven range is ideal for care homes and schools, as well as smaller pubs and restaurants. Made with quality stainless steel, the powerful oven comes with mighty burners and a fully pressed hob for easy cleaning, while its large 4 x 1/1GN capacity means you can cook four different foods simultaneously.



### PRODUCT OPTIONS AND ACCESSORIES

OA8902 SPLASHBACK/SHELF

### **PRODUCT FEATURES**

- Powerful 6kW burners the pan will heat up quicker, speeding up processes such as boiling and sautéing, achieving a caramelised colour faster
- Fully pressed hob Simpler and quicker to clean
- Twin heavy-duty cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue, hob top accommodates larger pans
- Flame failure protection
- Powerful 10kW oven the oven will heat up faster and recover more quickly when loaded. Large 4 x GN1/1 capacity enabling four different foods to be cooked simultaneously
- 2 shelves and 5 shelf positions maximise oven space
- · Castors supplied as standard, not as a chargeable extra







# LINCAT PHOENIX NATURAL GAS FREE-STANDING OVEN RANGE - 6-ZONE - W 900 MM - 46.0 KW

# **MODEL: PHGR01/N**

WEIGHTS & DIMENSIONS	
Width	900 mil
Depth	800 mil
Height	900 mil
Weight	125 kg

SHIPPING DETAILS	
Ship Width	100 mm
Ship Depth	85 mm
Ship Height	105 mm
Ship Weight	137.5 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

### **PRODUCT CERTIFICATIONS**



ENERGY SPECS				
Primary Energy Type	Gas	Gas Inlet Size	0.75 in	
Electrical Kilowatts	46 kW	Gas Inlet Pressure Required	20 mBar	
Dedicated Circuit Required	No	Gas Consumption at Max Use Per Hour	4.38 m <sup>3</sup>	
Gas Type	Natural Gas	Total Heat Input at Max Use	46 kW, 156952 BTU per hour	
Gas Total BTUs	156952 BTU	Total fleat lilput at Max USE		

ADDITIONAL SPECIFICATIONS			
Construction Materials	Stainless Steel	Open or Sealed Burners	Sealed
Control Type	Manual	Oven Power Rating	10 kW
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Temperature Minimum	120 °C
Exterior Trim Finish Color	Stainless Steel	Oven Temperature Maximum	260 °C
Gastronorm Capacity	4 x GN1/1	Shelf Depth	512 mm
High Altitude Kit Available	No	Shelf Width	710 mm
Number of Heating Zones	6	Ventless Cooking Technology	No
Number of Hot Top Burners	6	Cooking Equipment	Sealed Burner
Number of Shelf Positions	5	BTUs Per Burner	6 KW
Number of Shelves	2		

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025





## LINCAT PHOENIX NATURAL GAS FREE-STANDING OVEN RANGE -6-ZONE - W 900 MM - 46.0 KW

# **MODEL: PHGR01/N**

SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Open Burners		6		Center	300 mm	300 mm
SELECT BASE EQUIPMENT	NUMBER OF		CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1		1		715 mm	530 mm	400 mm

### **BIDDING SPECIFICATIONS (SHORT FORM SPECS)**

Bidding Specifications Not Available.

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

March 25, 2025





Document Auto-Generated




# **MODEL: PHGR01/N**

### **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025

