# LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 1 ZONE - W 450 MM - 3.0 KW

# MODEL: SLI3

AIA FILE NUMBER:

ITEM NUMBER:




UKEmbrace the energy efficient power of the Silverlink 600 Electric Induction Hob, which typically delivers 90% efficiency when compared with a solid electric hot plate at 55% and gas hob at 50%. An added efficiency is that ventilation and air conditioning costs can also be reduced, as the heat is generated in the pan instead of the hob surface, focusing energy where it's needed, and not wasting it into the kitchen. It's a highly responsive and controllable cooking method which delivers almost twice the cooking power of a similarly rated gas hob. The boost function delivers even more power when it's most needed.

SILVERLINK 600

## PRODUCT OPTIONS AND ACCESSORIES

- CC4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm
- CN4 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm
- SLS4 Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm

## PRODUCT FEATURES

- Highly responsive and controllable cooking method.
- High power
- delivers almost twice the cooking power of a similarly rated gas hob, whilst saving energy
- Boost function delivers power when it's most needed
- Designed to perfectly blend in with other products from the Silverlink 600 series
- Pan detection function cuts power when no pan is present, cutting running costs and creating a safer, more comfortable working environment.
- Automatic heat up function switches to a preset power level after full power heat up
- 6mm thick high impact resistant glass ceramic surface will withstand hard knocks and is easy to clean
- Easy to use rotary controls complete with LED display of power level.
- Easy to change filter, built into the base of the unit.

# LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 1 ZONE - W 450 MM - 3.0 KW

# MODEL: SLI3

## WEIGHTS & DIMENSIONS

| | |
|---|---|
| Product Width | 450 mm |
| Product Depth | 600 mm |
| Product Height | 290 mm |
| Product Dimensions (WxDxH) (mm) | 450 Millimeter X 600 Millimeter X 290 Millimeter |

## SHIPPING DETAILS

| | |
|---|---|
| Ship Width | 70 cm |
| Ship Depth | 55 cm |
| Ship Height | 49.5 cm |
| Ship Weight | 20.13 kg |
| Ship Method | Small Parcel (Ups Fedex Dhl) |
| Shipping Package Type | Pieces |

## PRODUCT CERTIFICATION ICONS

Made in UK UKCA IP24

## ENERGY SPECIFICATIONS

| | |
|---|---|
| Primary Energy Type | Electric |
| Electrical Volts | 230V |

| SELECT_COOKING_EQUIPMENT | NUMBER_OF | POWER_RATING | ARRANGE-MENT_LEFT_OR_RIGHT | WIDTH | DEPTH |
|---|---|---|---|---|---|
| Induction_Burner | 1 | 3kw | Center | 180 mm | 180 mm |

bidding specifications

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated

# LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 1 ZONE - W 450 MM - 3.0 KW

# MODEL: SLI3

## TECHNICAL DRAWING










Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated