

# **MODEL: SLI42**



Embrace the energy efficient power of the Silverlink 600 Electric Induction Hob, which typically delivers 90% efficiency when compared with a solid electric hot plate at 55% and gas hob at 50%. An added efficency is that ventilation and air conditioning costs can also be reduced, as the heat is generated in the pan instead of the hob surface, focusing energy where it's needed, and not wasting it into the kitchen. The four cooking zones of this model are made for power and high output. It's a highly responsive and controllable cooking method which delivers almost twice the cooking power of a similarly rated gas hob. The boost function delivers even more power when it's most needed.

#### **SILVERLINK 600**

### PRODUCT OPTIONS AND ACCESSORIES

- CC6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
- CN6 Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
- SLS6 Lincat Silverlink 600 Free-standing Floor Stand for units W 600 mm

### **PRODUCT FEATURES**

- Four cooking zones for high output. Highly responsive and controllable cooking method.
- High power delivers almost twice the cooking power of a similarly rated gas hob, whilst saving energy
- Boost function delivers power when it's most needed
- Designed to perfectly blend in with other products from the Silverlink 600 series
- Pan detection function cuts power when no pan is present, cutting running costs and creating a safer, more comfortable working environment.
- Automatic heat up function switches to a preset power level after full power heat up
- 6mm thick high impact resistant ceramic glass ceramic surface will withstand hard knocks and is easy to clean
- Easy to use rotary controls complete with LED display of power level.
  Easy to change filter, built into the base of the unit. Powerful internal cooling fan and overheat protection for long service life







### LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 4 **ZONES - W 600 MM - 6.0 KW**

**MODEL: SLI42** 

WEIGHTS & DIMENSIONS	
Width	600 mil
Depth	600 mil
Height	290 mil
Weight	26.9 kg

SHIPPING DETAILS	
Ship Width	70 cm
Ship Depth	70 cm
Ship Height	49.5 cm
Ship Weight	29.59 kg
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

### **PRODUCT CERTIFICATIONS**



ENERGY SPECS	
Primary Energy Type Elec	ctric Electrical Phase 1-Phase
Electrical Amps Per Conductor 2 x x	13.0 Electrical Plug Type UK 3-Pin Plug
Electrical Total Amperage	26 A Number of Electrical Plugs 2
Electrical Volts 2	Electrical Connection Type Cord and Plug
Electrical Total Wattage 600	0 W Number of Electrical Conductor Wires 2
Electrical Kilowatts 6	kW Electrical Remarks Single

ADDITIONAL SPECIFICATIONS			
Construction Materials	Stainless Steel	Number of Heating Zones	4
Control Type	Electronic, Rotary Con-	Number of Hot Top Burners	4
	trol Knob	Number of Shelves	Not Applicable
Cooking Plate Finish Material Type	Ceran Glass	Open or Sealed Burners	Not Applicable
High Altitude Kit Available	No	Ventless Cooking Technology	No

SELECT COOKING EQUIPMENT	NUMBER OF		POWER RATING		ARRANGE- MENT	WIDTH	DEPTH
Induction Burner 1		2		1	Center Front	120 mm	120 mm
Induction Burner 2		2		2	Center Rear	180 mm	180 mm

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025





## LINCAT SILVERLINK ELECTRIC COUNTER-TOP INDUCTION HOB - 4 **ZONES - W 600 MM - 6.0 KW**

**MODEL: SLI42** 

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Not Applicable For This Item					

### **BIDDING SPECIFICATIONS (SHORT FORM SPECS)**

Bidding Specifications Not Available.



Document Auto-Generated March 25, 2025




Lincat reserves the right to modify specifications or discontinue models







**MODEL: SLI42** 

### **TECHNICAL DRAWING**







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated March 25, 2025

