LINCAT SILVERLINK PROPANE GAS FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9C/P

AIA FILE NUMBER:

ITEM NUMBER:



SILVERLINK 600

UKCook a variety of delicious dishes with the powerful Silverlink 600 Gas Oven Range. The six gas burners not only offer power, but also come with a flame failure device for added safety. Then there's the high power gas oven with side opening doors for easy access. The oven range, perfect for cafe bars, care homes and small restaurants, also comes with a low level flue which maximises the working area and enables you to use large stock pots. The fully pressed and sealed hob tops make for easy cleaning, and there are four shelf positions with two removable shelves.

PRODUCT OPTIONS AND ACCESSORIES

- SLR9/SB SPLASHBACK

PRODUCT FEATURES

- Rear castors to make moving oven range out for deeper cleaning easier
- Six powerful gas burners with flame failure device for added safety
- High power gas oven with side opening doors for easy access
- Fully pressed and sealed hob tops for easy cleaning
- Four shelf positions with two removable shelves
- Low level flue maximises working area and enables you to use large stock pots

LINCAT SILVERLINK PROPANE GAS FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9C/P

WEIGHTS & DIMENSIONS

Product Width	900 mm
Product Depth	600 mm
Product Height	956 mm
Product Dimensions (WxDxH) (mm)	900 Millimeter X 600 Millimeter X 956 Millimeter
Product Weight	89 kg
Product Clearance Required: Top	1,000 mm
Product Clearance Required: Back	50 mm
Product Clearance Required: Left Side	50 mm

SHIPPING DETAILS

Ship Width	100 cm
Ship Depth	81 cm
Ship Height	100 cm
Ship Weight	98.89 lb
Ship Method	Ltl Common Carrier
Shipping Package Type	Pieces

PRODUCT CERTIFICATION ICONS

ADDITIONAL TECHNICAL SPECIFICATIONS

Number of Burners	6
Oven Power Rating	8.5 kW
Oven Temperature Minimum	130 °C
Oven Temperature Maximum	250 °C
Shelf Depth	342 mm
Shelf Width	700 mm

SELECT_COOKING_EQUIPMENT	NUMBER_OF	POWER_RATING	ARRANGE-MENT_LEFT_OR_RIGHT	WIDTH	DEPTH
Sealed_Burner	6	4.5kw	Center	300 mm	300 mm

SELECT_BASE_EQUIPMENT	NUMBER_OF	CAPACITY	WIDTH	DEPTH	HEIGHT
Standard_Oven_1	1		725 mm	342 mm	400 mm

bidding specifications


Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.


Document Auto-Generated


LINCAT SILVERLINK PROPANE GAS FREE-STANDING OVEN RANGE - CASTORS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9C/P

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated